

Last Modified: 09.25.2025		The Play That Goes Wrong Illinois Theatre 2025 Ground Plan Callouts					Sound Designer: Lizi Shaul	
Callout Number	Speaker/Mic #	Rep Number	Speaker Name	Output Group	Speaker Type	Speaker Angle	QLab Info	Notes
1	S1	----	Left Array Sub 1	Main L	Meyer 750-LFC	5°	QLAB-01-ML	
2	S2	----	Left Array Sub 2	Main L	Meyer 750-LFC	0°	QLAB-01-ML	
3	S3	----	Left Array 1	Main L	Meyer Lina	0°	QLAB-01-ML	
4	S4	----	Left Array 2	Main L	Meyer Lina	2°	QLAB-01-ML	
5	S5	----	Left Array 3	Main L	Meyer Lina	3°	QLAB-01-ML	
6	S6	----	Left Array 4	Main L	Meyer Lina	4°	QLAB-01-ML	
7	S7	----	Left Array 5	Main L	Meyer Lina	4°	QLAB-01-ML	
8	S8	----	Left Array 6	Main L	Meyer Lina	4°	QLAB-01-ML	
9	S9	----	Left Array 7	Main L	Meyer Lina	6°	QLAB-01-ML	
10	S10	----	Left Array 8	Main L	Meyer Lina	9°	QLAB-01-ML	
11	S11	Rep 32	Left Fill 1	Main L	Meyer UPJunior-XP	Installed Position	QLAB-01-ML	
12	S12	Rep 33	Left Fill 2	Main L	Meyer UPJunior-XP	Installed Position	QLAB-01-ML	
13	S13	----	Center 1	Center	Meyer X40	Installed Position	QLAB-02-C	
14	S14	----	Center 2	Center	Meyer X40	Installed Position	QLAB-02-C	
15	S15	Rep 30	Center 3	Center	Meyer UPJ-XP	Installed Position	QLAB-02-C	
16	S16	Rep 31	Center 4	Center	Meyer UPJ-XP	Installed Position	QLAB-02-C	
17	S17	----	Right Array Sub 1	Main R	Meyer 750-LFC	5°	QLAB-03-MR	
18	S18	----	Right Array Sub 2	Main R	Meyer 750-LFC	0°	QLAB-03-MR	
19	S19	----	Right Array 1	Main R	Meyer Lina	0°	QLAB-03-MR	
20	S20	----	Right Array 2	Main R	Meyer Lina	2°	QLAB-03-MR	
21	S21	----	Right Array 3	Main R	Meyer Lina	3°	QLAB-03-MR	
22	S22	----	Right Array 4	Main R	Meyer Lina	4°	QLAB-03-MR	
23	S23	----	Right Array 5	Main R	Meyer Lina	4°	QLAB-03-MR	
24	S24	----	Right Array 6	Main R	Meyer Lina	4°	QLAB-03-MR	
25	S25	----	Right Array 7	Main R	Meyer Lina	6°	QLAB-03-MR	
26	S26	----	Right Array 8	Main R	Meyer Lina	9°	QLAB-03-MR	
27	S27	Rep 34	Right Fill 1	Main R	Meyer UPJunior-XP	Installed Position	QLAB-03-MR	
28	S28	Rep 35	Right Fill 2	Main R	Meyer UPJunior-XP	Installed Position	QLAB-03-MR	
29	S29	Rep 1	Onstage Left 1	Onstage Left	Meyer UMP-1XP	0°	QLAB-04-ONL	22'5" From Ground
30	S30	Rep 5	Onstage Left 2	Onstage Left	Meyer UMP-1XP	0°	QLAB-04-ONL	22'5" From Ground
31	S31	Rep 9	Onstage Left 3	Onstage Left	Meyer UMP-1XP	0°	QLAB-04-ONL	22'5" From Ground
32	S32	Rep 2	Onstage Center Left 1	Onstage Center Left	Meyer UMP-1XP	0°	QLAB-05-ONCL	22'5" From Ground
33	S33	Rep 6	Onstage Center Left 2	Onstage Center Left	Meyer UMP-1XP	0°	QLAB-05-ONCL	22'5" From Ground
34	S34	Rep 10	Onstage Center Left 3	Onstage Center Left	Meyer UMP-1XP	0°	QLAB-05-ONCL	22'5" From Ground
35	S35	Rep 3	Onstage Center Right 1	Onstage Center Right	Meyer UMP-1XP	0°	QLAB-06-ONCR	22'5" From Ground
36	S36	Rep 7	Onstage Center Right 2	Onstage Center Right	Meyer UMP-1XP	0°	QLAB-06-ONCR	22'5" From Ground
37	S37	Rep 11	Onstage Center Right 3	Onstage Center Right	Meyer UMP-1XP	0°	QLAB-06-ONCR	22'5" From Ground
38	S38	Rep 4	Onstage Right 1	Onstage Right	Meyer UMP-1XP	0°	QLAB-07-ONR	22'5" From Ground
39	S39	Rep 8	Onstage Right 2	Onstage Right	Meyer UMP-1XP	0°	QLAB-07-ONR	22'5" From Ground
40	S40	Rep 12	Onstage Right 3	Onstage Right	Meyer UMP-1XP	0°	QLAB-07-ONR	22'5" From Ground
41	S41	----	Sub Left 1	Sub Left	Meyer 750-LFC	Turned Toward Audience	QLAB-08-SUB L	Cardiod
42	S42	----	Sub Left 2	Sub Left	Meyer 750-LFC	Turned Toward Audience	QLAB-08-SUB L	Cardiod
43	S43	----	Sub Left 3	Sub Left	Meyer 750-LFC	Turned Toward Audience	QLAB-08-SUB L	Cardiod
44	S44	----	Sub Right 1	Sub Right	Meyer 750-LFC	Turned Toward Audience	QLAB-09-SUB R	Cardiod
45	S45	----	Sub Right 2	Sub Right	Meyer 750-LFC	Turned Toward Audience	QLAB-09-SUB R	Cardiod
46	S46	----	Sub Right 3	Sub Right	Meyer 750-LFC	Turned Toward Audience	QLAB-09-SUB R	Cardiod
47	S47	Rep 37	Onstage Sub 1	Onstage Sub	Meyer UMS-SMXP	Facing Audience	QLAB-10-ONSUB	11' From Center
48	S48	Rep 38	Onstage Sub 2	Onstage Sub	Meyer UMS-SMXP	Facing Audience	QLAB-10-ONSUB	11' From Center

Last Modified: 09.25.2025		The Play That Goes Wrong Illinois Theatre 2025 Ground Plan Callouts					Sound Designer: Lizi Shaul	
Callout Number	Speaker/Mic #	Rep Number	Speaker Name	Output Group	Speaker Type	Speaker Angle	QLab Info	Notes
49	S49	----	Elevator Top	Elevator Top	Meyer UP4-Slim	Aligned with HVAC Cutout	QLAB-11-ELVT	10' 4 15/16" From Ground
50	S50	----	Elevator Bottom	Elevator Bottom	Meyer UP4-Slim	Aligned with HVAC Cutout	QLAB-12-ELVB	2'6 3/8" From Ground
51	S51	----	Clock	Clock	MiniRig4	Facing Audience	QLAB-13-CLCK	Wireless - In The Clock
52	S52	----	Tech Booth	Tech Booth	MiniRig4	Facing Audience	QLAB-14-TB	Wireless - In/Around Tech Booth
53	S53	Rep 21	Rear Monitor 1	Rear Monitors	Meyer UPJunior-XP	Installed Position	QLAB-15-RMON	9' 2" From Ground
54	S54	Rep 22	Rear Monitor 2	Rear Monitors	Meyer UPJunior-XP	Installed Position	QLAB-15-RMON	9' 2" From Ground
55	S55	Rep 23	Rear Monitor 3	Rear Monitors	Meyer UPJunior-XP	Installed Position	QLAB-15-RMON	9' 2" From Ground
56	S56	Rep 24	Rear Monitor 4	Rear Monitors	Meyer UPJunior-XP	Installed Position	QLAB-15-RMON	9' 2" From Ground
57	S57	Rep 25	Rear Monitor 5	Rear Monitors	Meyer UPJunior-XP	Installed Position	QLAB-15-RMON	9' 2" From Ground
58	S58	Rep 18	Off Left 1	Off Left	Meyer UPJunior-XP	Installed Position	QLAB-16-OFFL	
59	S59	Rep 19	Off Left 2	Off Left	Meyer UPJunior-XP	Installed Position	QLAB-16-OFFL	
60	S60	Rep 20	Off Left 3	Off Left	Meyer UPJunior-XP	Installed Position	QLAB-16-OFFL	
61	S61	Rep 26	Off Right 1	Off Right	Meyer UPJunior-XP	Installed Position	QLAB-17-OFFR	
62	S62	Rep 27	Off Right 2	Off Right	Meyer UPJunior-XP	Installed Position	QLAB-17-OFFR	
63	S63	Rep 28	Off Right 3	Off Right	Meyer UPJunior-XP	Installed Position	QLAB-17-OFFR	
64	S64	----	FX Sub 1	FX Subs	Meyer UMS-SMXP	Facing Center of House	QLAB-18-FXS	Under FOH House Left
65	S65	----	FX Sub 2	FX Subs	Meyer UMS-SMXP	Facing Center of House	QLAB-18-FXS	Under FOH House Right
66	S66	----	FX Sub 3	FX Subs	Meyer UMS-SMXP	Facing Center of House	QLAB-18-FXS	In The Pit Center
67	S67	Rep 13	Ceiling Left 1	Ceiling Left	Meyer UPM-1XP	Installed Position	QLAB-19-CL	
68	S68	Rep 40	Ceiling Left 2	Ceiling Left	Ashby-8C	Installed Position	QLAB-19-CL	
69	S69	Rep 44	Ceiling Left 3	Ceiling Left	Ashby-8C	Installed Position	QLAB-19-CL	
70	S70	Rep 48	Ceiling Left 4	Ceiling Left	Ashby-8C	Installed Position	QLAB-19-CL	
71	S71	Rep 52	Ceiling Left 5	Ceiling Left	Ashby-8C	Installed Position	QLAB-19-CL	
72	S72	Rep 14	Ceiling Center 1	Ceiling Center	Meyer UPM-1XP	Installed Position	QLAB-20-CC	
73	S73	Rep 15	Ceiling Center 2	Ceiling Center	Meyer UPM-1XP	Installed Position	QLAB-20-CC	
74	S74	Rep 41	Ceiling Center 3	Ceiling Center	Ashby-8C	Installed Position	QLAB-20-CC	
75	S75	Rep 42	Ceiling Center 4	Ceiling Center	Ashby-8C	Installed Position	QLAB-20-CC	
76	S76	Rep 45	Ceiling Center 5	Ceiling Center	Ashby-8C	Installed Position	QLAB-20-CC	
77	S77	Rep 46	Ceiling Center 6	Ceiling Center	Ashby-8C	Installed Position	QLAB-20-CC	
78	S78	Rep 49	Ceiling Center 7	Ceiling Center	Ashby-8C	Installed Position	QLAB-20-CC	
79	S79	Rep 50	Ceiling Center 8	Ceiling Center	Ashby-8C	Installed Position	QLAB-20-CC	
80	S80	Rep 53	Ceiling Center 9	Ceiling Center	Ashby-8C	Installed Position	QLAB-20-CC	
81	S81	Rep 54	Ceiling Center 10	Ceiling Center	Ashby-8C	Installed Position	QLAB-20-CC	
82	S82	Rep 16	Ceiling Right 1	Ceiling Right	Meyer UPM-1XP	Installed Position	QLAB-21-CR	
83	S83	Rep 43	Ceiling Right 2	Ceiling Right	Ashby-8C	Installed Position	QLAB-21-CR	
84	S84	Rep 47	Ceiling Right 3	Ceiling Right	Ashby-8C	Installed Position	QLAB-21-CR	
85	S85	Rep 51	Ceiling Right 4	Ceiling Right	Ashby-8C	Installed Position	QLAB-21-CR	
86	S86	Rep 55	Ceiling Right 5	Ceiling Right	Ashby-8C	Installed Position	QLAB-21-CR	
87	S87	Rep 17	Left Wall Front 1	Left Wall Front	Meyer UPJunior-XP	Installed Position	QLAB-22-LWF	
88	S88	Rep 56	Left Wall Front 2	Left Wall Front	Meyer HMS-10	Installed Position	QLAB-22-LWF	
89	S89	Rep 57	Left Wall Front 3	Left Wall Front	Meyer HMS-10	Installed Position	QLAB-22-LWF	
90	S90	Rep 58	Left Wall Front 4	Left Wall Front	Meyer HMS-10	Installed Position	QLAB-22-LWF	
91	S91	Rep 59	Left Wall Front 5	Left Wall Front	Meyer HMS-10	Installed Position	QLAB-22-LWF	
92	S92	Rep 60	Left Wall Rear 1	Left Wall Rear	Meyer HMS-10	Installed Position	QLAB-23-LWR	
93	S93	Rep 61	Left Wall Rear 2	Left Wall Rear	Meyer HMS-10	Installed Position	QLAB-23-LWR	
94	S94	Rep 62	Left Wall Rear 3	Left Wall Rear	Meyer HMS-10	Installed Position	QLAB-23-LWR	
95	S95	Rep 63	Left Wall Rear 4	Left Wall Rear	Meyer HMS-10	Installed Position	QLAB-23-LWR	
96	S96	Rep 88	Left Wall Sub 1	Left Wall Sub	Meyer UMS-SMXP	Installed Position	QLAB-24-LWS	

Last Modified: 09.25.2025		The Play That Goes Wrong Illinois Theatre 2025 Ground Plan Callouts					Sound Designer: Lizi Shaul	
Callout Number	Speaker/Mic #	Rep Number	Speaker Name	Output Group	Speaker Type	Speaker Angle	QLab Info	Notes
97	S97	Rep 89	Left Wall Sub 2	Left Wall Sub	Meyer UMS-SMXP	Installed Position	QLAB-24-LWS	
98	S98	Rep 90	Left Wall Sub 3	Left Wall Sub	Meyer UMS-SMXP	Installed Position	QLAB-24-LWS	
99	S99	Rep 91	Left Wall Sub 4	Left Wall Sub	Meyer UMS-SMXP	Installed Position	QLAB-24-LWS	
100	S100	Rep 29	Right Wall Front 1	Right Wall Front	Meyer UPJunior-XP	Installed Position	QLAB-25-RWF	
101	S101	Rep 84	Right Wall Front 2	Right Wall Front	Meyer HMS-10	Installed Position	QLAB-25-RWF	
102	S102	Rep 85	Right Wall Front 3	Right Wall Front	Meyer HMS-10	Installed Position	QLAB-25-RWF	
103	S103	Rep 86	Right Wall Front 4	Right Wall Front	Meyer HMS-10	Installed Position	QLAB-25-RWF	
104	S104	Rep 87	Right Wall Front 5	Right Wall Front	Meyer HMS-10	Installed Position	QLAB-25-RWF	
105	S105	Rep 80	Right Wall Rear 1	Right Wall Rear	Meyer HMS-10	Installed Position	QLAB-26-RWR	
106	S106	Rep 81	Right Wall Rear 2	Right Wall Rear	Meyer HMS-10	Installed Position	QLAB-26-RWR	
107	S107	Rep 82	Right Wall Rear 3	Right Wall Rear	Meyer HMS-10	Installed Position	QLAB-26-RWR	
108	S108	Rep 83	Right Wall Rear 4	Right Wall Rear	Meyer HMS-10	Installed Position	QLAB-26-RWR	
109	S109	Rep 96	Right Wall Sub 1	Right Wall Sub	Meyer UMS-SMXP	Installed Position	QLAB-27-RWS	
110	S110	Rep 97	Right Wall Sub 2	Right Wall Sub	Meyer UMS-SMXP	Installed Position	QLAB-27-RWS	
111	S111	Rep 98	Right Wall Sub 3	Right Wall Sub	Meyer UMS-SMXP	Installed Position	QLAB-27-RWS	
112	S112	Rep 99	Right Wall Sub 4	Right Wall Sub	Meyer UMS-SMXP	Installed Position	QLAB-27-RWS	
113	S113	Rep 64	Rear Left 1	Rear Left	Meyer UPJ-XP	Installed Position	QLAB-28-RL	
114	S114	Rep 65	Rear Left 2	Rear Left	Meyer UPJ-XP	Installed Position	QLAB-28-RL	
115	S115	Rep 66	Rear Left 3	Rear Left	Meyer UPJ-XP	Installed Position	QLAB-28-RL	
116	S116	Rep 67	Rear Left 4	Rear Left	Meyer UPJ-XP	Installed Position	QLAB-28-RL	
117	S117	Rep 72	Rear Left 5	Rear Left	Meyer MM4-XP	Installed Position	QLAB-28-RL	
118	S118	Rep 73	Rear Left 6	Rear Left	Meyer MM4-XP	Installed Position	QLAB-28-RL	
119	S119	Rep 74	Rear Left 7	Rear Left	Meyer MM4-XP	Installed Position	QLAB-28-RL	
120	S120	Rep 75	Rear Left 8	Rear Left	Meyer MM4-XP	Installed Position	QLAB-28-RL	
121	S121	Rep 68	Rear Right 1	Rear Right	Meyer UPJ-XP	Installed Position	QLAB-29-RR	
122	S122	Rep 69	Rear Right 2	Rear Right	Meyer UPJ-XP	Installed Position	QLAB-29-RR	
123	S123	Rep 70	Rear Right 3	Rear Right	Meyer UPJ-XP	Installed Position	QLAB-29-RR	
124	S124	Rep 71	Rear Right 4	Rear Right	Meyer UPJ-XP	Installed Position	QLAB-29-RR	
125	S125	Rep 76	Rear Right 5	Rear Right	Meyer MM4-XP	Installed Position	QLAB-29-RR	
126	S126	Rep 77	Rear Right 6	Rear Right	Meyer MM4-XP	Installed Position	QLAB-29-RR	
127	S127	Rep 78	Rear Right 7	Rear Right	Meyer MM4-XP	Installed Position	QLAB-29-RR	
128	S128	Rep 79	Rear Right 8	Rear Right	Meyer MM4-XP	Installed Position	QLAB-29-RR	
129	S129	Rep 92	Rear Sub 1	Rear Sub	Meyer UMS-SMXP	Installed Position	QLAB-30-RS	
130	S130	Rep 93	Rear Sub 2	Rear Sub	Meyer UMS-SMXP	Installed Position	QLAB-30-RS	
131	S131	Rep 94	Rear Sub 3	Rear Sub	Meyer UMS-SMXP	Installed Position	QLAB-30-RS	
132	S132	Rep 95	Rear Sub 4	Rear Sub	Meyer UMS-SMXP	Installed Position	QLAB-30-RS	
133	M13	Constellation Mic 13	House Mic 1	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	-----	
134	M14	Constellation Mic 14	House Mic 2	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	-----	
135	M15	Constellation Mic 15	House Mic 4	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	-----	
136	M16	Constellation Mic 16	House Mic 5	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	-----	
137	M17	Constellation Mic 17	House Mic 6	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	-----	
138	M18	Constellation Mic 18	House Mic 7	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	-----	
139	M19	Constellation Mic 19	House Mic 8	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	-----	
140	M20	Constellation Mic 20	House Mic 9	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	-----	
141	M21	Constellation Mic 21	House Mic 10	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	-----	
142	M22	Constellation Mic 22	House Mic 11	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	-----	
143	M23	Constellation Mic 23	House Mic 12	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	-----	
144	M24	Constellation Mic 24	House Mic 13	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	-----	

Last Modified: 09.25.2025		The Play That Goes Wrong Illinois Theatre 2025 Ground Plan Callouts					Sound Designer: Lizi Shaul	
Callout Number	Speaker/Mic #	Rep Number	Speaker Name	Output Group	Speaker Type	Speaker Angle	QLab Info	Notes
145	M25	Constellation Mic 25	House Mic 14	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	----	
146	M26	Constellation Mic 26	House Mic 15	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	----	
147	M 27	Constellation Mic 27	House Mic 16	Constellation Mics	CONSTEL SC4098-M15-MC	Installed Position	----	
148	M28	Constellation Mic 10	House Mic 17	Constellation Mics	CONSTEL 4011ER-MC	Installed Position	----	
149	M29	Constellation Mic 11	House Mic 18	Constellation Mics	CONSTEL 4011ER-MC	Installed Position	----	
150	M30	Constellation Mic 12	House Mic 19	Constellation Mics	CONSTEL 4011ER-MC	Installed Position	----	
151	M31	----	Door Mic	Door Mic	Audio Technica U853R	Above Door (Wall C1)	----	6'8" From Ground
152	M32	----	Window Mic	Window Mic	Audio Technica U853R	Next to Window (Wall C2)	----	4'6" From Ground